

El Dr. José Manuel Montes actualmente ocupa el puesto de Jefe de Sección de la Unidad de Hospitalización de Psiquiatría del Hospital Universitario Ramón y Cajal de Madrid. Es también miembro de Instituto Ramón y Cajal de Investigación Sanitaria (IRYCIS) y del CIBERSAM. Cuenta con una amplia experiencia clínica en el tratamiento del trastorno bipolar. Doctor en Medicina y Cirugía por la Universidad de Alcalá, ejerce además como profesor asociado en dicha universidad. Autor de diversos artículos de investigación y capítulos de libros, actualmente continúa desarrollando junto a su actividad clínica diversos programas de investigación fundamentalmente en el trastorno bipolar. Algunos de los artículos publicados en relación a la misma se muestran a continuación:

-**Montes J.M.**; Ferrando L.: Gabapentin-induced anorgasmia as a cause of noncompliance in a bipolar patient. *Bipolar Disorders* 2001; 3: 52.

-García-Toro M.; **Montes J.M.**; Talavera J.A.: Functional cerebral asymmetry in affective disorders: new facts contributed by transcranial magnetic stimulation. *J. Affect. Disord.* 2001; 66: 103-109.

-**Montes J.M.**: Sesión de protocolos: protocolos en psiquiatría del niño y del adolescente. Trastorno Bipolar. *Revista de Psiquiatría Infanto-Juvenil* 2002; 19 (especial): 135-140.

-**Montes J.M.**; Ciudad A., Gascón J.; Gómez J.C.: Safety, effectiveness, and quality of life of olanzapine in first-episode schizophrenia: a naturalistic study. *Prog Neuropsychopharmacol Biol Psychiatry* 2003; 27: 667-674.

-**Montes J.M.**; Ferrando L.; Saiz-Ruiz J.: Remission in major depression with two antidepressant mechanisms: results from a naturalistic study. *J. Affect. Disord.* 2004; 79: 229-234.

-**Montes J.M.** Implicaciones Clínicas del espectro bipolar. *International Clinical Psychopharmacology* 2004 (suplemento especial): 18-23.

-**Montes J.M.**; Saiz-Ruiz J.; Lahera G.; Asiel A. Lamotrigine for the treatment of bipolar spectrum disorder: A retrospective chart review. *J. Affect. Disord.* 2005; 86: 69-73.

-Sánchez-Moreno J.; Barrantes-Vidal N.; Vieta E.; Martínez-Arán A.; Saiz-Ruiz J.; **Montes J.M.**; Akiskal K.; Akiskal H.S. Proceso de adaptación al español de la escala de Temperamento de Memphis, Pisa, París y San Diego. Versión autoaplicada (TEMPS-A). *Actas Esp Psiquiatr* 2005; 33: 325-330.

-Saiz-Ruiz J.; **Montes J.M.** La depresión. Relevancia clínica y social. Criterios diagnósticos. Criterios de tratamiento farmacológico. Situaciones de especial relevancia clínica. *Medicine* 9^a, 2005; 46: 3012-3021.

- Saiz Ruiz J.; **Montes J.M.**; Ibáñez A.; Díaz M.; Francisco V.; Pelegrin C.; Viñas R.; Arias F.; Carrasco J.L.; Ferrando L. Assessment of sexual functioning in depressed patients treated with mirtazapine: a naturalistic 6-month study. *Hum Psychopharmacol Clin Exp* 2005; 20: 435–440.

-Lahera G.; **Montes J.M.**; Benito A.; Saiz J. Factores asociados al desarrollo de síntomas psicóticos en la manía. *Archivos de Psiquiatría* 2006; 69: 97-116.

- **Montes J.M.**; Rodriguez J.L.; Balbo E.; Sopelana P.; Martin E.; Soto J.A.; Delgado J.F.; Diez T.; Villardaga I. Improvement in antipsychotic-related metabolic disturbances in patients with schizophrenia switched to ziprasidone. *Prog Neuropsychopharmacol Biol Psychiatry* 2007; 31: 383-388.

-**Montes J.M.**; Lahera G. Update and long-term clinical management of rapid cycling. *International Clinical Psychopharmacology* 2007; 22 (Suppl 1): 23-28.

-**Montes JM**, Saiz J, de Dios C, Ezquiaga E, García A, Argudo I, Carrillo A, Cebollada A, Ramos J, Valle J. Profile of bipolar disorder outpatients: a cross-sectional study in the Madrid Community. *Actas Esp Psiquiatr.* 2008 Jun 20.

-de Dios C, Ezquiaga E, García A, Montes JM, Avedillo C, Soler B. Usefulness of the Spanish version of the mood disorder questionnaire for screening bipolar disorder in routine clinical practice in outpatients with major depression. *Clin Pract Epidemiol Ment Health.* 2008 May 22;4:14.

-Lahera G, **Montes JM**, Benito A, Valdivia M, Medina E, Mirapeix I, Sáiz-Ruiz J. Theory of mind deficit in bipolar disorder: is it related to a previous history of psychotic symptoms? *Psychiatry Res* 2008;161:309-17

-Garcia-Portilla MP, Saiz PA, Bascaran MT, Martínez A S, Benabarre A, Sierra P, Torres P, **Montes JM**, Bousoño M, Bobes J; on behalf of the General Health Status in Bipolar Disorder Collaborative Group. Cardiovascular risk in patients with bipolar disorder. *J Affect Disord* 2009; 115: 302-308.

-Bobes J, Saiz-Ruiz J. **Montes JM**, Mostaza J, Rico-Villademoros F, Vieta E: Consenso Español de Salud Física del Paciente con Trastorno Bipolar. *Rev Psiquiatr Salud Ment* 2008; 1: 10-17

-Lahera G, Pedrera A, Cabañes L, Fernandez-Lorente J, Simal P, **Montes**

JM, Saiz-Ruiz J. P300 event-related potential in euthymic patients with bipolar disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 2009;33:16-9.

-**Montes J.M.**; Maurino J.; Diaz T.; Saiz-Ruiz J. Telephone-based nursing strategy to improve adherence to antipsychotic treatment in schizophrenia: A controlled trial. *International Journal of Psychiatry in Clinical Practice* 2010;14: 274-281

-Rossi A, Cañas F, Fagiolini A, Larmo I, Levy P, **Montes JM**, Papageorgiou G, Sturlason R, Zink M, Correll CU. Switching among antipsychotics in everyday clinical practice: focus on ziprasidone. *Postgrad Med.* 2011 Jan;123(1):135-59.

-**Montes JM**, Mauriño J, Diez T, Saiz-Ruiz J: Factors Associated with the Effectiveness of a Telephone-Based Nursing Strategy for Enhancing Medication Adherence in Schizophrenia. *Clinical Practice & Epidemiology in Mental Health*, 2011, 7, 117-119

-**Montes JM**. Use of ziprasidone in patients with schizophrenia in four European countries. *Eur Psychiatry*. 2011 Mar;26 Suppl 1:29-37.

-Cañas F, Correll CU, Fagiolini A, Larmo I, Levy P, Papageorgiou G, Rossi A, Zink M, **Montes JM**. Practical guidance for prescribing ziprasidone in acute manic or mixed episodes of bipolar I disorder. *Expert Opin Pharmacother.* 2011;12:2245-63.

-San Molina L, **Montes JM**, Caballero-Martínez F, García-Manrique, M. Depressive symptoms associated with changes in circadian rhythms. Concordance in perception between doctor and patient, clinical impact and its response to current antidepressant drugs. *Rev Psiquiatr Salud Ment.* 2011;4:19-27.

- Ezquiaga E, García-López A, **Montes JM**, Alegría A, de Dios C, Balanza V, Sierra P, Perez J, Toledo F, Rodríguez A. Discapacidad en pacientes bipolares ancianos en tratamiento ambulatorio. Variables asociadas. *Rev Psiquiatr Salud Ment (Barc.)*. 2012 Jul;5(3):183-90.

-Ruiz MÁ, **Montes JM**, Correas Lauffer J, Alvarez C, Mauriño J, de Dios Perrino C. Opinions and beliefs of the Spanish population on serious mental illnesses (schizophrenia and bipolar disorder)]. *Rev Psiquiatr Salud Ment.* 2012 Apr;5(2):98-106.

- Nivoli AM, Murru A, Goikolea JM, Crespo JM, **Montes JM**, González-Pinto A, García-Portilla P, Bobes J, Saiz-Ruiz J, Vieta E. New treatment guidelines for acute bipolar mania: A critical review. *J Affect Disord.* 2012

Oct;140(2):125-41.

- Lahera, G, Ruiz-Murugarren, S, Iglesias, P, Ruiz-Bennasar, C, Herreri'a, **Montes JM**, Fernandez-Liria A. Social Cognition and Global Functioning in Bipolar Disorder. *J Nerv Ment Dis* 2012; 200: 135-141.

-de Dios C, González-Pinto A, **Montes JM**, Goikolea JM, Saiz-Ruiz J, Prieto E, Vieta E. Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). *J Affect Disord.* 2012; 141(2-3):406-14.

-Lahera G, Benito A, **Montes JM**, Fernández-Liria A, Olbert CM, Penn DL. Social cognition and interaction training (SCIT) for outpatients with bipolar disorder. *J Affect Disord.* 2013; 20;146(1):132-6.

-**Montes JM**, Medina E, Gomez-Beneyto M, Maurino J. A short message service (SMS)-based strategy for enhancing adherence to antipsychotic medication in schizophrenia. *Psychiatry Res.* 2012; 200(2-3):89-95.

-Grande I, Goikolea JM, de Dios C, González-Pinto A, **Montes JM**, Saiz-Ruiz J, Prieto E, Vieta E; for the PREBIS group. Occupational disability in bipolar disorder: analysis of predictors of being on severe disablement benefit (PREBIS study data). *Acta Psychiatr Scand.* 2013; 127(5):403-11.

-**Montes JM**, Maurino J, de Dios C, Medina E. Suboptimal treatment adherence in bipolar disorder: impact on clinical outcomes and functioning. *Patient Prefer Adherence.* 2013;7:89-94.

- **Montes JM**, Alegría A, García-López A, Ezquiaga E, Balanza-Martinez V, Sierra P, Toledo F, Alcaraz P, Perez J, de Dios C. Understanding Bipolar Disorder in Late Life. Clinical and Treatment Correlates of a Sample of Elderly Outpatients. *J Nerv Ment Dis* 2013; 201:674-9.

-Benito A, Lahera G, Herrera S, Muncharaz R, Benito G, Fernández-Liria A, **Montes J.M.** Deficits in recognition, identification, and discrimination of facial emotions in patients with bipolar disorder. *Rev Bras Psiquiatr.* 2013 Oct-Dec;35(4):435-8.

-Popovic D, Benabarre A, Crespo JM, Goikolea JM, González-Pinto A, Gutiérrez-Rojas L,**Montes JM**, Vieta E. Risk factors for suicide in schizophrenia: systematic review and clinical recommendations. *Acta Psychiatr Scand.* 2014 Dec;130(6):418-26.

- **Montes JM** , Luján E, Pascual F, et al., "Robust and Sustained Effect of Ketamine Infusions Coadministered with Conventional Antidepressants in

a Patient with Refractory Major Depression,” Case Reports in Psychiatry, vol. 2015, Article ID 815673, 3 pages, 2015.

- **Montes J.M.** Tratamiento de síntomas mixtos con antipsicóticos. *Psiquiatr Biol* 2015; 22(S1): 13-16.

- **Montes J.M.** Caso clínico. Los síntomas mixtos como presentación clínica frecuente en El trastorno bipolar. *Psiquiatr Biol* 2015; 22(S1): 17-18.

- Pacchiarotti I, León-Caballero J, Murru A, Verdolini N, Furio MA, Pancheri C, Valentí M, Samalin L, Roigé ES, González-Pinto A, **Montes JM**, Benabarre A, Crespo JM, de Dios Perrino C, Goikolea JM, Gutiérrez-Rojas L, Carvalho AF, Vieta E. Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. *Eur Neuropsychopharmacol*. 2016 Oct;26(10):1562-78.

- Alonso-Navarro H, **Montes JM**, Plaza-Nieto JF, Jiménez-Jiménez FJ. Cataplexy possible associated with lamotrigine. *J Clin Psychopharmacol*. 2016 Aug;36(4):400-2.